

CLAIMS

We claim:

1. In a vehicle comprising a first device and a second device, an active
 5 network communicatively coupling the first device and the second device, the active
 network comprising a core portion and a peripheral portion, the peripheral portion
 being coupled to the core portion, and the first device and the second device being
 coupled to the peripheral portion.

10 2. The vehicle of claim 1, wherein the active network comprises a packet data
 network.

3. The vehicle of claim 1, wherein the active network comprises a plurality of
 active network elements coupled by connection media, wherein the core portion
 15 comprises a core active network element and the peripheral portion comprises a
 peripheral active network element.

4. The vehicle of claim 1, wherein the active network comprises a plurality of
 active network elements coupled by connection media, wherein the core portion
 20 comprises a first active network element of the plurality of active network elements
 and a second active network element of the plurality of active network elements.

5. The vehicle of claim 4, wherein the connection media coupling the first
 active network element and the second active network element comprises a plurality
 25 of communication paths between the first and second active network elements.

6. The vehicle of claim 1, wherein at least one of the active network elements comprises a switch.

7. The vehicle of claim 1, wherein at least one of the active network elements
5 a router.

8. The vehicle of claim 1, wherein at least one of the active network elements a bridge.

10 9. The vehicle of claim 1, wherein the peripheral portion comprises a first active element of the plurality of active elements and a second active element of the plurality of active elements.

10 10. The vehicle of claim 1, wherein the core portion has a first data rate capability and the edge portion has a second data rate capability different than the first data rate capability.

11. The vehicle of claim 1, wherein the core portion comprises a communication network backbone structure.

20

12. An active network for a vehicle, the vehicle including a plurality of devices, the active network comprising:

a plurality of active network elements coupled by communication media including a core having a core portion of the plurality of active network elements and
25 a peripheral portion having a peripheral portion of the plurality of active network

elements, wherein the core portion is coupled to active network elements of the core portion and active network elements of the peripheral portion and the peripheral portion is coupled to active network elements of the core portion and active network elements of the peripheral portion and to the plurality of devices.

5

13. The active network of claim 13, wherein the active network is operable to establish a plurality of communication paths between a first device and a second device of the plurality of devices for communicating data between the first and second devices.

10

14. The active network of claim 15, wherein the plurality of communication paths comprise exclusively the peripheral portion.

15

15. The active network of claim 14, wherein the core portion has a first data rate capability and the peripheral portion has a second data rate capability different than the first data rate capability.

16. The active network of claim 11, wherein the core portion forms a network backbone structure.

20